
Tomori Bot

Release 5.7.0

Nov 06, 2019

Contents

1	List of all Tomori's commands.	1
1.1	Admin module	1
1.2	Fun module	2
1.3	Economy module	10
1.4	Set commands	15
2	Indices and tables	17

CHAPTER 1

List of all Tomori's commands.

1.1 Admin module

1.1.1 say

Send your text via bot's account.

Arguments

value: Optional[Union[text, embed json]]

Returns

Your message or embed object.

Example

- !say I love Minami!!!
- !say {"title": "", "color": 2802150}

1.1.2 webhook

Send your text via choosen webhook.

Arguments

name: text value: Optional[Union[text, embed json]]

Returns

Your message or embed object.

Aliases

- wh

Example

- !wh test I love Minami!!!
- !webhook news {"title": "", "color": 2802150}

1.1.3 clear

Delete messages from current chat.

Arguments

```
count: integer`>=1 user: Optional[Union[:class:`Mention, Name, ID]]
```

Aliases

- cl

Example

- !cl
- !cl 100
- !cl 100 Naneynonn
- !clear 373 @Naneynonn#0101
- !clear 373 496569904527441921

1.2 Fun module

1.2.1 me

Shows user's profile.

Arguments

```
user: Union[Mention, Name, ID]
```

Returns

An image with user's profile.

Aliases

- profile

Example

- !me
- !me Naneynonn
- !profile @Naneynonn#0101
- !profile 496569904527441921

1.2.2 hug

Hugs user.

Arguments

user: Optional[Union[Mention, Name, ID]]

Returns

An embed message with hugs.

Example

- !hug
- !hug Naneynonn
- !hug @Naneynonn#0101
- !hug 496569904527441921

1.2.3 wink

Winks to user.

Arguments

user: Optional[Union[Mention, Name, ID]]

Returns

An embed message with winks.

Example

- !wink
- !wink Naneynonn
- !wink @Naneynonn#0101
- !wink 496569904527441921

1.2.4 punch

Punches user.

Arguments

user: Optional[Union[Mention, Name, ID]]

Returns

An embed message with punches.

Example

- !punch
- !punch Naneynonn
- !punch @Naneynonn#0101
- !punch 496569904527441921

1.2.5 drink

Drinks.

Returns

An embed message with drinks.

Example

- !drink

1.2.6 fuck

Shows a finger to user.

Arguments

user: Optional[Union[Mention, Name, ID]]

Returns

An embed message with showing a finger.

Example

- !fuck
- !fuck Naneyonn
- !fuck @Naneyonn#0101
- !fuck 496569904527441921

1.2.7 bite

Bites user.

Arguments

user: Optional[Union[Mention, Name, ID]]

Returns

An embed message with bites.

Example

- !bite
- !bite Naneyonn
- !bite @Naneyonn#0101
- !bite 496569904527441921

1.2.8 lick

Licks user.

Arguments

user: Optional[Union[Mention, Name, ID]]

Returns

An embed message with licks.

Example

- !lick
- !lick Naneynonn
- !lick @Naneynonn#0101
- !lick 496569904527441921

1.2.9 pat

Pats user.

Arguments

user: Optional[Union[Mention, Name, ID]]

Returns

An embed message with pats.

Example

- !pat
- !pat Naneynonn
- !pat @Naneynonn#0101
- !pat 496569904527441921

1.2.10 slap

Slaps user.

Arguments

user: Optional[Union[Mention, Name, ID]]

Returns

An embed message with slaps.

Example

- !slap
- !slap Naneynonn
- !slap @Naneynonn#0101
- !slap 496569904527441921

1.2.11 poke

Pokes user.

Arguments

user: Optional[Union[Mention, Name, ID]]

Returns

An embed message with pokes.

Example

- !poke
- !poke Naneynonn
- !poke @Naneynonn#0101
- !poke 496569904527441921

1.2.12 kiss

Kisses user.

Arguments

user: Optional[Union[Mention, Name, ID]]

Returns

An embed message with kisses.

Example

- !kiss
- !kiss Naneynonn
- !kiss @Naneynonn#0101
- !kiss 496569904527441921

1.2.13 highfive

Highfives user.

Arguments

user: Optional[Union[Mention, Name, ID]]

Returns

An embed message with highfives.

Aliases

- five
- high-five

Example

- !five
- !highfive Naneynonn
- !high-five @Naneynonn#0101
- !high-five 496569904527441921

1.2.14 top

Shows top-5 users ordered by XP.

Arguments

page: Optional[int]

Returns

An image of selected page in top list.

Cooldown

10 seconds.

Example

- !top
- !top 373

1.2.15 voice

Shows top-5 users ordered by **Time in Voices**.

Arguments

page: Optional[int]

Returns

An image of selected page in top list.

Cooldown

10 seconds.

Example

- !voice
- !voice 373

1.2.16 money

Shows top-5 users ordered by **Money**.

Arguments

page: Optional[int]

Returns

An image of selected page in top list.

Cooldown

10 seconds.

Example

- !money
- !money 373

1.3 Economy module

1.3.1 timely

Get timely award.

Returns

500 (*customizable*) (or custom guild's money).

Cooldown

12 hours (*customizable*).

Example

- !timely

1.3.2 work

Goes to a work.

Returns

50 (*customizable*) (or custom guild's money) after 30 (*customizable*) minutes.

Example

- !work

1.3.3 br

Play bet-roll.

Arguments

- amount: Optional[Union[integer, all]]

Returns

An embed message with the game result (win or lose).

Aliases

- bet-roll

Example

- !br
- !br 1000
- !bet-roll
- !bet-roll 373

1.3.4 slots

Play a slot machine.

Arguments

- amount: Optional[Union[integer, all]]

Returns

An embed message with the game result (win or lose).

Aliases

- slot

Example

- !slot
- !slot 1000
- !slots
- !slots 373

1.3.5 cash

Gets user's balance.

Arguments

- user: Optional[Union[Mention, Name, ID]]

Returns

User's balance.

Aliases

- \$
- balance

Example

- !\$
- !\$ Naneynonn
- !cash @Naneynonn#0101
- !balance 496569904527441921

1.3.6 give

Send (*or custom guild's money*) to another user.

Arguments

- user: Union[Mention, Name, ID]
- amount: Optional[Union[integer, all]]

Returns

Your (*or custom guild's money*) will move to that user.

Aliases

- send

Example

- !send Naneynonn
- !send @Naneynonn#0101 373
- !send 496569904527441921 all
- !give Naneynonn
- !give @Naneynonn#0101 373

- !give 496569904527441921 all

1.3.7 gift

Get (*or custom guild's money*) from.. nothing.

Permissions

- Administrator or Owner

Arguments

- amount: integer

Returns

Updates user's balance with that amount of (*or custom guild's money*).

Aliases

- pay

Example

- !gift 373
- !pay 373

1.3.8 take

Take (*or custom guild's money*) from user.

Permissions

- Administrator or Owner

Arguments

- user: Union[Mention, Name, ID]
- amount: Optional[Union[integer, all]]

Returns

Takes that amount of user's (*or custom guild's money*).

Example

- !take Naneynonn
- !take @Naneynonn#0101 373
- !take 496569904527441921 all

1.3.9 shop

Shows roles shop.

Arguments

- page: :class:`integer` = 1

Returns

An embed message with selected page of roles shop.

Example

- !shop
- !shop 3

1.3.10 buy

Buy role from roles shop.

Arguments

- role: Union[Mention, Name, ID, number in shop]

Returns

You will receive that role from shop.

Example

- !buy 3
- !buy Role
- !buy @Role
- !buy 489814446210809886

1.4 Set commands

1.4.1 language

Set up language for your guild.

Arguments

- language: Union[*english*, *russian*, *ukrainian*, *indonesian*, *german*]

Aliases

- lang

Example

- !set lang ru
- !set lang en
- !set language ru
- !set language english
- !set language indonesian

1.4.2 reaction

Set up role by reaction on the message.

Arguments

- message_id: Integer
- emoji: Union[Emoji, Name, ID, Unicode]
- role: Union[Mention, Name, ID]

Aliases

- r
- react

Example

- !set r 638220363951636505 <a:Tsumiki:489815657228009479> 489814446210809886
- !set react 638220363951636505 Tsumiki @Role
- !set reaction 638220363951636505 489815657228009479 @Role

1.4.3 emoji

Set up money emoji.

Arguments

- emoji: Union[Emoji, Name, ID, Unicode]

Aliases

- money

Example

- !set emoji Tsumiki
- !set emoji 489815657228009479
- !set money <a:Tsumiki:489815657228009479>

CHAPTER 2

Indices and tables

- genindex
- modindex
- search